






**Fittings for carbon
and stainless Pipe**





 **Raccordi a pressione in acciaio al carbonio (RAC)**
 **Press Fittings carbon steel (RAC)**
 **Raccords acier-carbone à sertir (RAC)**

Ganasce Profilo M; Jaws M profile;

IT: Manicotta a pressione
EN: Press coupling
FR: Manchon à sertir


IT: Raccordo diritto maschio
EN: Male Press coupling
FR: Manchon à sertir MX


<u>Art. 10</u>	<u>Codice</u>	<u>Misura</u>	<u>Box</u>	<u>€</u>
	RACC10AD0018	18	10	
	RACC10AE0022	22	10	
	RACC10AF0028	28	10	
	RACC10AG0035	35	5	
	RACC10AH0042	42	5	
	RACC10AJ0054	54	5	

<u>Art. 81</u>	<u>Codice</u>	<u>Misura</u>	<u>Box</u>	<u>€</u>
	RACC81PE0522	1/2-22	10	
	RACC81QE0722	3/4-22	10	
	RACC81RE1022	1"-22	10	
	RACC81QF0728	3/4-28	10	
	RACC81RF1028	1"-28	5	
	RACC81SG1235	1 1/4-35	5	
	RACC81TH1542	1 1/2-42	5	
RACC81VJ2054	2"-54	5		

IT: Raccordo diritto femmina
EN: Female Press coupling
FR: Manchon à sertir FE


IT: Curva a pressione
EN: Press Elbow
FR: Coude à sertir


<u>Art. 80</u>	<u>Codice</u>	<u>Misura</u>	<u>Box</u>	<u>€</u>
	RACC80PE0522	1/2-22	10	
	RACC80QE0722	3/4-22	10	
	RACC80RE1022	1"-22	10	
	RACC80PF0528	1/2-28	10	
	RACC80QF0728	3/4-28	10	
	RACC80RF1028	1"-28	10	

<u>Art. 20</u>	<u>Codice</u>	<u>Misura</u>	<u>Box</u>	<u>€</u>
	RACC20ZD0018	18	10	
	RACC20ZE0022	22	10	
	RACC20ZF0028	28	10	
	RACC20ZG0035	35	5	
	RACC20ZH0042	42	5	
	RACC20ZJ0054	54	5	

IT: Curva M/F
EN: Male Female Press Elbow
FR: Coude à sertir M/F


IT: Curva a pressione a 45°
EN: 45° Press Elbow
FR: Coude 45° à sertir


<u>Art. 21</u>	<u>Codice</u>	<u>Misura</u>	<u>Box</u>	<u>€</u>
	RACC21ZD0018	18	10	
	RACC21ZE0022	22	10	
	RACC21ZF0028	28	10	
	RACC21ZG0035	35	5	
	RACC21ZH0042	42	5	
	RACC21ZJ0054	54	5	




<u>Art. 22</u>	<u>Codice</u>	<u>Misura</u>	<u>Box</u>	<u>€</u>
	RACC22ZD0018	18	10	
	RACC22ZE0022	22	10	
	RACC22ZF0028	28	10	
	RACC22ZG0035	35	5	
	RACC22ZH0042	42	5	
	RACC22ZJ0054	54	5	

IT: Manicotto ridotto
EN: Reducing Press coupling
FR: Manchon réduit

IT: Curva a pressione a 45° m/f
EN: 45° Male Female Press Elbow
FR: Coude 45° à sertir M/F

<u>Art. 12</u>	<u>Codice</u>	<u>Misura</u>	<u>Box</u>	<u>€</u>
	RACC12EF2228	22-28	10	
	RACC12EG2235	22-35	10	
	RACC12EH2242	22-42	10	
	RACC12EJ2254	22-54	5	
	RACC12FG2835	28-35	10	
	RACC12FH2842	28-42	10	
	RACC12FJ2854	28-54	5	
	RACC12GH3542	35-42	10	
	RACC12GJ3554	35-54	5	
	RACC12HJ4254	42-54	5	

<u>Art. 23</u>	<u>Codice</u>	<u>Misura</u>	<u>Box</u>	<u>€</u>
	RACC23ZD0018	18	10	
	RACC23ZE0022	22	10	
	RACC23ZF0028	28	10	
	RACC23ZG0035	35	5	
	RACC23ZH0042	42	5	
	RACC23ZJ0054	54	5	



 **Raccordi a pressione in acciaio al carbonio (RAC)**
 **Press Fittings carbon steel (RAC)**
 **Raccords acier-carbone à sertir (RAC)**



Ganasce Profilo M; Jaws M profile;



IT: Tee Femmina
EN: Female Press Tee
FR: Tee FE à sertir

IT: Tee ridotto
EN: Reducing Press Tee
FR: Tee à sertir réduit

<u>Art. 40G</u>	<u>Codice</u>	<u>Misura</u>	<u>Box</u>	<u>€</u>	<u>Art. 41</u>	<u>Codice</u>	<u>Misura</u>	<u>Box</u>	<u>€</u>
	<u>RACC40G00522</u>	<u>22-1/2-22</u>	<u>10</u>	<u>3,66</u>		<u>RACC4100FEF0</u>	<u>28-22-28</u>	<u>10</u>	<u>3,87</u>
	<u>RACC40G00528</u>	<u>28-1/2-28</u>	<u>10</u>	<u>4,33</u>		<u>RACC4100GEG0</u>	<u>35-22-35</u>	<u>10</u>	<u>5,54</u>
	<u>RACC40G00535</u>	<u>35-1/2-35</u>	<u>10</u>	<u>5,60</u>		<u>RACC4100HEH0</u>	<u>42-22-42</u>	<u>10</u>	<u>7,30</u>
	<u>RACC40G00542</u>	<u>42-1/2-42</u>	<u>10</u>	<u>8,33</u>		<u>RACC4100JEJ0</u>	<u>54-22-54</u>	<u>5</u>	<u>8,51</u>
	<u>RACC40G00554</u>	<u>54-1/2-54</u>	<u>5</u>	<u>10,11</u>		<u>RACC4100GFG0</u>	<u>35-28-35</u>	<u>10</u>	<u>5,67</u>
	<u>RACC40G00728</u>	<u>28-3/4-38</u>	<u>10</u>	<u>4,59</u>		<u>RACC4100HFH0</u>	<u>42-28-42</u>	<u>10</u>	<u>7,44</u>
	<u>RACC40G00735</u>	<u>35-3/4-35</u>	<u>10</u>	<u>7,43</u>		<u>RACC4100JFJ0</u>	<u>54-28-54</u>	<u>5</u>	<u>8,70</u>
	<u>RACC40G00742</u>	<u>42-3/4-42</u>	<u>10</u>	<u>10,02</u>		<u>RACC4100-</u>	<u>42-35-42</u>	<u>10</u>	<u>7,60</u>
	<u>RACC40G00754</u>	<u>54-3/4-54</u>	<u>5</u>	<u>11,30</u>		<u>HGH0</u>	<u>54-35-54</u>	<u>5</u>	<u>8,89</u>
							<u>RACC4100JGJ0</u>	<u>54-42-54</u>	<u>5</u>
					<u>RACC4100JHJ0</u>				




IT: Tubo in acciaio al carbonio
EN: Carbon Steel Pipe
FR: Tube de acier-carbone

IT: Tee a pressione
EN: Press Tee
FR: Tee à sertir

<u>Art. TUBO RAC</u>	<u>Codice</u>	<u>Misura</u>	<u>Box</u>	<u>€</u>	<u>Art. 40</u>	<u>Codice</u>	<u>Misura</u>	<u>Box</u>	<u>€</u>
	<u>RACCTUB00015</u>	<u>15</u>	<u>6 mt</u>	<u>0,96</u>		<u>RACC40AD0018</u>	<u>18</u>	<u>10</u>	<u>3,13</u>
	<u>RACCTUB00018</u>	<u>18</u>	<u>6 mt</u>	<u>0,99</u>		<u>RACC40AE0022</u>	<u>22</u>	<u>10</u>	<u>3,87</u>
	<u>RACCTUB00022</u>	<u>22</u>	<u>6 mt</u>	<u>1,35</u>		<u>RACC40AF0028</u>	<u>28</u>	<u>10</u>	<u>4,13</u>
	<u>RACCTUB00028</u>	<u>28</u>	<u>6 mt</u>	<u>1,78</u>		<u>RACC40AG0035</u>	<u>35</u>	<u>5</u>	<u>5,40</u>
	<u>RACCTUB00035</u>	<u>35</u>	<u>6 mt</u>	<u>2,42</u>		<u>RACC40AH0042</u>	<u>42</u>	<u>5</u>	<u>7,98</u>
	<u>RACCTUB00042</u>	<u>42</u>	<u>6 mt</u>	<u>2,68</u>		<u>RACC40AJ0054</u>	<u>54</u>	<u>5</u>	<u>9,72</u>
	<u>RACCTUB00054</u>	<u>54</u>	<u>6 mt</u>	<u>3,80</u>					

***** Misure differenti disponibili a magazzino**


***** Different sizes available in stock**


 Raccordi a pressare in acciaio INOX AISI 316 (RAX)
 Press Fittings stainless steel INOX AISI 316 (RAX)
 Raccords acier-INOX AISI 316 à sertir (RAX)

Ganasce Profilo M; Jaws M profile;

IT: Manicotto a pressare
 EN: Press coupling
 FR: Manchon à sertir


IT: Raccordo diritto maschio
 EN: Male Press coupling
 FR: Manchon à sertir MX


Art. 10	Codice	Misura	Box	€
	RAXC10AD0018	18	10	
	RAXC10AE0022	22	10	
	RAXC10AF0028	28	10	
	RAXC10AG0035	35	5	
	RAXC10AH0042	42	5	
	RAXC10AJ0054	54	5	

Art. 81	Codice	Misura	Box	€
	RAXC81PE0522	1/2-22	10	
	RAXC81OE0722	3/4-22	10	
	RAXC81RE1022	1"-22	10	
	RAXC81QF0728	3/4-28	10	
	RAXC81RF1028	1"-28	5	
	RAXC81SG1235	1 1/4-35	5	
	RAXC81TH1542	1 1/2-42	5	
	RAXC81VJ2054	2"-54	5	

IT: Raccordo diritto femmina
 EN: Female Press coupling
 FR: Manchon à sertir FE


IT: Curva a pressare
 EN: Press Elbow
 FR: Coude à sertir


Art. 80	Codice	Misura	Box	€
	RAXC80PE0522	1/2-22	10	
	RAXC80QE0722	3/4-22	10	
	RAXC80RE1022	1"-22	10	
	RAXC80PF0528	1/2-28	10	
	RAXC80QF0728	3/4-28	10	
	RAXC80RF1028	1"-28	10	

Art. 20	Codice	Misura	Box	€
	RAXC20ZD0018	18	10	
	RAXC20ZE0022	22	10	
	RAXC20ZF0028	28	10	
	RAXC20ZG0035	35	5	
	RAXC20ZH0042	42	5	
	RAXC20ZJ0054	54	5	

IT: Curva M/F
 EN: Male Female Press Elbow
 FR: Coude à sertir M/F


IT: Curva a pressare a 45°
 EN: 45° Press Elbow
 FR: Coude 45° à sertir


Art. 21	Codice	Misura	Box	€
	RAXC21ZD0018	18	10	
	RAXC21ZE0022	22	10	
	RAXC21ZF0028	28	10	
	RAXC21ZG0035	35	5	
	RAXC21ZH0042	42	5	
	RAXC21ZJ0054	54	5	




Art. 22	Codice	Misura	Box	€
	RAXC22ZD0018	18	10	
	RAXC22ZE0022	22	10	
	RAXC22ZF0028	28	10	
	RAXC22ZG0035	35	5	
	RAXC22ZH0042	42	5	
	RAXC22ZJ0054	54	5	

IT: Manicotto ridotto
 EN: Reducing Press coupling
 FR: Manchon réduit

IT: Curva a pressare a 45° m/f
 EN: 45° Male Female Press Elbow
 FR: Coude 45° à sertir M/F

Art. 12	Codice	Misura	Box	€
	RAXC12EF2228	22-28	10	
	RAXC12EG2235	22-35	10	
	RAXC12EH2242	22-42	10	
	RAXC12EJ2254	22-54	5	
	RAXC12FG2835	28-35	10	
	RAXC12FH2842	28-42	10	
	RAXC12FJ2854	28-54	5	
	RAXC12GH3542	35-42	10	
	RAXC12GJ3554	35-54	5	
	RAXC12HJ4254	42-54	5	



Art. 23	Codice	Misura	Box	€
	RAXC23ZD0018	18	10	
	RAXC23ZE0022	22	10	
	RAXC23ZF0028	28	10	
	RAXC23ZG0035	35	5	
	RAXC23ZH0042	42	5	
	RAXC23ZJ0054	54	5	

 **Raccordi a pressione in acciaio INOX AISI 316 (RAX)**
 **Press Fittings stainless steel INOX AISI 316 (RAX)**
 **Raccords acier-INOX AISI 316 à sertir (RAX)**

Ganasce Profilo M; Jaws M profile;



IT: Tee Femmina
EN: Female Press Tee
FR: Tee FE à sertir

IT: Tee ridotto
EN: Reducing Press Tee
FR: Tee à sertir réduit

<u>Art. 40G</u>	<u>Codice</u>	<u>Misura</u>	<u>Box</u>	<u>€</u>	<u>Art. 41</u>	<u>Codice</u>	<u>Misura</u>	<u>Box</u>	<u>€</u>
	<u>RAXC40G00522</u>	<u>22-1/2-22</u>	<u>10</u>			<u>RAXC4100FEF0</u>	<u>28-22-28</u>	<u>10</u>	
	<u>RAXC40G00528</u>	<u>28-1/2-28</u>	<u>10</u>			<u>RAXC4100GEG0</u>	<u>35-22-35</u>	<u>10</u>	
	<u>RAXC40G00535</u>	<u>35-1/2-35</u>	<u>10</u>			<u>RAXC4100HEH0</u>	<u>42-22-42</u>	<u>10</u>	
	<u>RAXC40G00542</u>	<u>42-1/2-42</u>	<u>10</u>			<u>RAXC4100JEJ0</u>	<u>54-22-54</u>	<u>5</u>	
	<u>RAXC40G00554</u>	<u>54-1/2-54</u>	<u>5</u>			<u>RAXC4100GFG0</u>	<u>35-28-35</u>	<u>10</u>	
	<u>RAXC40G00728</u>	<u>28-3/4-38</u>	<u>10</u>			<u>RAXC4100HFH0</u>	<u>42-28-42</u>	<u>10</u>	
	<u>RAXC40G00735</u>	<u>35-3/4-35</u>	<u>10</u>			<u>RAXC4100JFJ0</u>	<u>54-28-54</u>	<u>5</u>	
	<u>RAXC40G00742</u>	<u>42-3/4-42</u>	<u>10</u>			<u>RAXC100HGH0</u>	<u>42-35-42</u>	<u>10</u>	
	<u>RAXC40G00754</u>	<u>54-3/4-54</u>	<u>5</u>			<u>RAXC4100JGJ0</u>	<u>54-35-54</u>	<u>5</u>	
							<u>RAXC4100JHJ0</u>	<u>54-42-54</u>	<u>5</u>

IT: Tubo in acciaio al carbonio
EN: Carbon Steel Pipe
FR: Tube de acier-carbone

IT: Tee a pressione
EN: Press Tee
FR: Tee à sertir

<u>Art. TUBO RAX</u>	<u>Codice</u>	<u>Misura</u>	<u>Box</u>	<u>€</u>	<u>Art. 40</u>	<u>Codice</u>	<u>Misura</u>	<u>Box</u>	<u>€</u>
	<u>RAXCTUB00015</u>	<u>15</u>	<u>6 mt</u>			<u>RAXC40AD0018</u>	<u>18</u>	<u>10</u>	
	<u>RAXCTUB00018</u>	<u>18</u>	<u>6 mt</u>			<u>RAXC40AE0022</u>	<u>22</u>	<u>10</u>	
	<u>RAXCTUB00022</u>	<u>22</u>	<u>6 mt</u>			<u>RAXC40AF0028</u>	<u>28</u>	<u>10</u>	
	<u>RAXCTUB00028</u>	<u>28</u>	<u>6 mt</u>			<u>RAXC40AG0035</u>	<u>35</u>	<u>5</u>	
	<u>RAXCTUB00035</u>	<u>35</u>	<u>6 mt</u>			<u>RAXC40AH0042</u>	<u>42</u>	<u>5</u>	
	<u>RAXCTUB00042</u>	<u>42</u>	<u>6 mt</u>			<u>RAXC40AJ0054</u>	<u>54</u>	<u>5</u>	
	<u>RAXCTUB00054</u>	<u>54</u>	<u>6 mt</u>						

***** Misure differenti disponibili a magazzino**

***** Different sizes available in stock**