






**Fittings for
Copper Pipe**



Assotherm
Servizi associati per la termoidraulica




 Raccordi a pressione in rame (RR)
 Press Fittings copper (RR)
 Raccords cuivre à sertir (RR)




Ganasce Profilo V; Jaws V profile;

IT: Manicotto a pressione
 EN: Press coupling
 FR: Manchon à sertir


IT: Tee a pressione
 EN: Press Tee
 FR: Tee à sertir


<u>Art. A270</u>	<u>Codice</u>	<u>Misura</u>	<u>Box</u>	<u>€</u>
	RRA027000150	15	10	
	RRA027000180	18	10	
	RRA027000220	22	10	
	RRA027000280	28	5	
	RRA027000350	35	5	

<u>Art. A130</u>	<u>Codice</u>	<u>Misura</u>	<u>Box</u>	<u>€</u>
	RRA013000150	15	10	
	RRA013000180	18	10	
	RRA013000220	22	10	
	RRA013000280	28	5	
	RRA013000350	35	5	

IT: Tee a pressione ridotto
 EN: Press Reducing Tee
 FR: Tee à sertir réduit

IT: Curva a pressione
 EN: Press Elbow
 FR: Coude à sertir


<u>Art. A131</u>	<u>Codice</u>	<u>Misura</u>	<u>Box</u>	<u>€</u>
	RRA01310BAB0	18-15-18	10	
	RRA01310CAC0	22-15-22	10	
	RRA01310CBC0	22-18-22	10	
	RRA01310DAD0	28-15-28	5	
	RRA01310DBD0	28-18-28	5	
	RRA01310DCD0	28-22-28	5	
	RRA01310EAE0	35-15-35	5	
	RRA01310EBE0	35-18-35	5	
	RRA01310ECE0	35-22-35	5	
	RRA01310EDE0	35-28-35	5	

<u>Art. A90</u>	<u>Codice</u>	<u>Misura</u>	<u>Box</u>	<u>€</u>
	RRA009000150	15	10	
	RRA009000180	18	10	
	RRA009000220	22	10	
	RRA009000280	28	5	
	RRA009000350	35	5	

IT: Curva M/F
 EN: Male Female Press Elbow
 FR: Coude à sertir M/F


IT: Curva a pressione a 45°
 EN: 45° Press Elbow
 FR: Coude 45° à sertir

<u>Art. A92</u>	<u>Codice</u>	<u>Misura</u>	<u>Box</u>	<u>€</u>
	RRA009200150	15	10	
	RRA009200180	18	10	
	RRA009200220	22	10	
	RRA009200280	28	5	
	RRA009200350	35	5	




<u>Art. A120</u>	<u>Codice</u>	<u>Misura</u>	<u>Box</u>	<u>€</u>
	RRA012000150	15	10	
	RRA012000180	18	10	
	RRA012000220	22	10	
	RRA012000280	28	5	
	RRA012000350	35	5	

IT: Manicotto ridotto M/F
 EN: Reducing Press coupling
 FR: Manchon réduit

IT: Curva a pressione a 45° m/f
 EN: 45° Male Female Press Elbow
 FR: Coude 45° à sertir M/F

<u>Art. A246</u>	<u>Codice</u>	<u>Misura</u>	<u>Box</u>	<u>€</u>
	RRA024601815	18-15	10	
	RRA024602215	22-15	10	
	RRA024602218	22-18	10	
	RRA024602815	28-15	10	
	RRA024602818	28-18	10	
	RRA024602822	28-22	10	
	RRA024603522	35-22	5	
	RRA024603528	35-28	5	


<u>Art. A122</u>	<u>Codice</u>	<u>Misura</u>	<u>Box</u>	<u>€</u>
	RRA012200150	15	10	
	RRA012200180	18	10	
	RRA012200220	22	10	
	RRA012200280	28	5	
	RRA012200350	35	5	


 **Raccordi a pressione in rame (RR)**
 **Press Fittings copper (RR)**
 **Raccords cuivre à sertir (RR)**

Ganasce Profilo V; Jaws V profile;

IT: Raccordo curvo maschio
EN: Male Press elbow
FR: Coude à sertir MX


IT: Raccordo curvo femmina
EN: Female Press elbow
FR: Coude à sertir FE


<u>Art. A261</u>	<u>Codice</u>	<u>Misura</u>	<u>Box</u>	<u>€</u>
	<u>RR</u> A026100515	<u>1/2-15</u>	<u>10</u>	
	<u>RR</u> A026100518	<u>1/2-18</u>	<u>10</u>	
	<u>RR</u> A026100718	<u>3/4-18</u>	<u>10</u>	
	<u>RR</u> A026100722	<u>3/4-22</u>	<u>5</u>	
	<u>RR</u> A026101028	<u>1"-28</u>	<u>5</u>	
	<u>RR</u> A026101235	<u>1 1/4-35</u>	<u>5</u>	

<u>Art. A262</u>	<u>Codice</u>	<u>Misura</u>	<u>Box</u>	<u>€</u>
	<u>RR</u> A026200515	<u>1/2-15</u>	<u>10</u>	
	<u>RR</u> A026200518	<u>1/2-18</u>	<u>10</u>	
	<u>RR</u> A026200522	<u>1/2-22</u>	<u>10</u>	
	<u>RR</u> A026200718	<u>3/4-18</u>	<u>10</u>	
	<u>RR</u> A026200722	<u>3/4-22</u>	<u>5</u>	
	<u>RR</u> A026201028	<u>1"-28</u>	<u>5</u>	
<u>RR</u> A026201235	<u>1 1/4-35</u>	<u>5</u>		

IT: Raccordo diritto maschio
EN: Male Press coupling
FR: Manchon à sertir MX


IT: Raccordo diritto femmina
EN: Female Press coupling
FR: Manchon à sertir FE


<u>Art. A271</u>	<u>Codice</u>	<u>Misura</u>	<u>Box</u>	<u>€</u>
	<u>RR</u> A027100515	<u>1/2-15</u>	<u>10</u>	
	<u>RR</u> A027100518	<u>1/2-18</u>	<u>10</u>	
	<u>RR</u> A027100522	<u>1/2-22</u>	<u>10</u>	
	<u>RR</u> A027100718	<u>3/4-18</u>	<u>10</u>	
	<u>RR</u> A027100722	<u>3/4-22</u>	<u>5</u>	
	<u>RR</u> A027100728	<u>3/4-28</u>	<u>5</u>	
	<u>RR</u> A027101028	<u>1"-28</u>	<u>5</u>	
	<u>RR</u> A027101235	<u>1 1/4-35</u>	<u>5</u>	

<u>Art. A280</u>	<u>Codice</u>	<u>Misura</u>	<u>Box</u>	<u>€</u>
	<u>RR</u> A028000515	<u>1/2-15</u>	<u>10</u>	
	<u>RR</u> A028000518	<u>1/2-18</u>	<u>10</u>	
	<u>RR</u> A028000522	<u>1/2-22</u>	<u>10</u>	
	<u>RR</u> A028000718	<u>3/4-18</u>	<u>10</u>	
	<u>RR</u> A028000722	<u>3/4-22</u>	<u>5</u>	
	<u>RR</u> A028000728	<u>3/4-28</u>	<u>5</u>	
	<u>RR</u> A028001028	<u>1"-28</u>	<u>5</u>	
	<u>RR</u> A028001235	<u>1 1/4-35</u>	<u>5</u>	

IT: Manicotto a pressione
EN: Press coupling
FR: Manchon à sertir


IT: Tee a pressione
EN: Press Tee
FR: Tee à sertir


<u>Art. G270</u>	<u>Codice</u>	<u>Misura</u>	<u>Box</u>	<u>€</u>
	<u>RR</u> G027000150	<u>15</u>	<u>10</u>	
	<u>RR</u> G027000180	<u>18</u>	<u>10</u>	
	<u>RR</u> G027000220	<u>22</u>	<u>10</u>	
	<u>RR</u> G027000280	<u>28</u>	<u>5</u>	
	<u>RR</u> G027000350	<u>35</u>	<u>5</u>	




<u>Art. G130</u>	<u>Codice</u>	<u>Misura</u>	<u>Box</u>	<u>€</u>
	<u>RR</u> G013000150	<u>15</u>	<u>10</u>	
	<u>RR</u> G013000180	<u>18</u>	<u>10</u>	
	<u>RR</u> G013000220	<u>22</u>	<u>10</u>	
	<u>RR</u> G013000280	<u>28</u>	<u>5</u>	
	<u>RR</u> G013000350	<u>35</u>	<u>5</u>	

IT: Tee a pressione ridotto
EN: Press Reducing Tee
FR: Tee à sertir réduit

IT: Curva a pressione
EN: Press Elbow
FR: Coude à sertir

<u>Art. G131</u>	<u>Codice</u>	<u>Misura</u>	<u>Box</u>	<u>€</u>
	<u>RR</u> G01310BAB0	<u>18-15-18</u>	<u>10</u>	
	<u>RR</u> G01310CAC0	<u>22-15-22</u>	<u>10</u>	
	<u>RR</u> G01310CBC0	<u>22-18-22</u>	<u>10</u>	
	<u>RR</u> G01310DAD0	<u>28-15-28</u>	<u>5</u>	
	<u>RR</u> G01310DCD0	<u>28-22-28</u>	<u>5</u>	
	<u>RR</u> G01310ECE0	<u>35-22-35</u>	<u>5</u>	
	<u>RR</u> G01310EDE0	<u>35-28-35</u>	<u>5</u>	


<u>Art. G90</u>	<u>Codice</u>	<u>Misura</u>	<u>Box</u>	<u>€</u>
	<u>RR</u> G009000150	<u>15</u>	<u>10</u>	
	<u>RR</u> G009000180	<u>18</u>	<u>10</u>	
	<u>RR</u> G009000220	<u>22</u>	<u>10</u>	
	<u>RR</u> G009000280	<u>28</u>	<u>5</u>	
	<u>RR</u> G009000350	<u>35</u>	<u>5</u>	


 **Raccordi a pressione in rame (RR)**
 **Press Fittings copper (RR)**
 **Raccords cuivre à sertir (RR)**

Ganasce Profilo V; Jaws V profile;

IT: Raccordo curvo maschio
EN: Male Press elbow
FR: Coude à sertir MX


IT: Raccordo curvo femmina
EN: Female Press elbow
FR: Coude à sertir FE


<u>Art. G261</u>	<u>Codice</u>	<u>Misura</u>	<u>Box</u>	<u>€</u>
	RRG026100515	1/2-15	10	
	RRG026100518	1/2-18	10	
	RRG026100718	3/4-18	10	
	RRG026100722	3/4-22	5	
	RRG026101028	1"-28	5	
	RRG026101235	1 1/4-35	5	

<u>Art. G262</u>	<u>Codice</u>	<u>Misura</u>	<u>Box</u>	<u>€</u>
	RRG026200515	1/2-15	10	
	RRG026200518	1/2-18	10	
	RRG026200522	1/2-22	10	
	RRG026200718	3/4-18	10	
	RRG026200722	3/4-22	5	
	RRG026201028	1"-28	5	
RRG026201235	1 1/4-35	5		

IT: Raccordo diritto maschio
EN: Male Press coupling
FR: Manchon à sertir MX


IT: Raccordo diritto femmina
EN: Female Press coupling
FR: Manchon à sertir FE

<u>Art. G271</u>	<u>Codice</u>	<u>Misura</u>	<u>Box</u>	<u>€</u>
	RRG027100515	1/2-15	10	
	RRG027100518	1/2-18	10	
	RRG027100522	1/2-22	10	
	RRG027100718	3/4-18	10	
	RRG027100722	3/4-22	5	
	RRG027100728	3/4-28	5	
	RRG027101028	1"-28	5	
	RRG027101235	1 1/4-35	5	

<u>Art. G280</u>	<u>Codice</u>	<u>Misura</u>	<u>Box</u>	<u>€</u>
	RRG028000515	1/2-15	10	
	RRG028000518	1/2-18	10	
	RRG028000522	1/2-22	10	
	RRG028000718	3/4-18	10	
	RRG028000722	3/4-22	5	
	RRG028001028	1"-28	5	
RRG028001235	1 1/4-35	5		

IT: Curva M/F
EN: Male Female Press Elbow
FR: Coude à sertir M/F


IT: Curva a pressione a 45°
EN: 45° Press Elbow
FR: Coude 45° à sertir


<u>Art. G92</u>	<u>Codice</u>	<u>Misura</u>	<u>Box</u>	<u>€</u>
	RRG009200150	15	10	
	RRG009200180	18	10	
	RRG009200220	22	10	
	RRG009200280	28	5	
	RRG009200350	35	5	




<u>Art. G120</u>	<u>Codice</u>	<u>Misura</u>	<u>Box</u>	<u>€</u>
	RRG012000150	15	10	
	RRG012000180	18	10	
	RRG012000220	22	10	
	RRG012000280	28	5	
	RRG012000350	35	5	

IT: Manicotto ridotto M/F
EN: Reducing Press coupling
FR: Manchon réduit

IT: Curva a pressione a 45° m/f
EN: 45° Male Female Press Elbow
FR: Coude 45° à sertir M/F

<u>Art. G246</u>	<u>Codice</u>	<u>Misura</u>	<u>Box</u>	<u>€</u>
	RRG024601815	18-15	10	
	RRG024602215	22-15	10	
	RRG024602218	22-18	10	
	RRG024602215	28-15	10	
	RRG024602818	28-18	10	
	RRG024602822	28-22	10	
	RRG024603522	35-22	5	
	RRG024603528	35-28	5	

<u>Art. G122</u>	<u>Codice</u>	<u>Misura</u>	<u>Box</u>	<u>€</u>
	RRG012200150	15	10	
	RRG012200180	18	10	
	RRG012200220	22	10	
	RRG012200280	28	5	
	RRG012200350	35	5	

 Raccordi a saldare in rame (RR)
 Soldering Fittings copper (RR)
 Raccords cuivre à souder (RR)



IT: Manicotto a saldare filettato mx
 EN: Soldering coupling
 FR: Manchon à souder

IT: Manicotto a saldare filettato fe
 EN: Soldering coupling
 FR: Manchon à souder

<u>Art. S271</u>	<u>Codice</u>	<u>Misura</u>	<u>Box</u>	<u>€</u>	<u>Art. S280</u>	<u>Codice</u>	<u>Misura</u>	<u>Box</u>	<u>€</u>
	RRS027100315	3/8-15	10			RRS028000315	3/8-15	10	
	RRS027100515	1/2-15	10			RRS028000515	1/2-15	10	
	RRS027100518	1/2-18	10			RRS028000518	1/2-18	10	
	RRS027100522	1/2-22	10			RRS028000522	1/2-22	10	
	RRS027100715	3/4-15	10			RRS028000715	3/4-15	10	
	RRS027100718	3/4-18	10			RRS028000718	3/4-18	10	
	RRS027100722	3/4-22	10			RRS028000722	3/4-22	10	

IT: Tee a saldare ridotto
 EN: Soldering Reducing Tee
 FR: Tee à souder réduit

IT: Curva a saldare F/F
 EN: Soldering Elbow
 FR: Coude à souder

<u>Art. S131</u>	<u>Codice</u>	<u>Misura</u>	<u>Box</u>	<u>€</u>	<u>Art. S90</u>	<u>Codice</u>	<u>Misura</u>	<u>Box</u>	<u>€</u>
	RRS01310BAB0	18-15-18	10			RRS009000150	15	25	
	RRS01310CAA0	18-15-15	10			RRS009000180	18	10	
	RRS01310CBC0	22-15-22	10			RRS009000220	22	10	
	RRS01310DAA0	22-15-15	10						
	RRS01310DBD0	22-18-22	10						



IT: Curva a saldare M/F
 EN: Male Female Soldering Elbow
 FR: Coude à souder M/F

IT: Curva a saldare a 45° F/F
 EN: 45° Soldering Elbow
 FR: Coude 45° à souder




<u>Art. S92</u>	<u>Codice</u>	<u>Misura</u>	<u>Box</u>	<u>€</u>	<u>Art. S120</u>	<u>Codice</u>	<u>Misura</u>	<u>Box</u>	<u>€</u>
	RRS009200150	15	25			RRS012000150	15	25	
	RRS009200180	18	10			RRS012000180	18	10	
	RRS009200220	22	10			RRS012000220	22	10	

IT: Tee a saldare
 EN: Soldering Tee
 FR: Tee à souder

IT: Tubo Rame
 EN: Copper Pipe
 FR: Tebe de cuivre



<u>Art. S130</u>	<u>Codice</u>	<u>Misura</u>	<u>Box</u>	<u>€</u>	<u>TUBORAME</u>	<u>Codice</u>	<u>Misura</u>	<u>Box</u>	<u>€</u>
	RRS013000150	15	25			TUBORA00015V	15	5m	
	RRS013000180	18	10			TUBORA00018V	18	5m	
	RRS013000220	22	10			TUBORA00022V	22	5m	
				TUBORA00028V		28	5m		
				TUBORA00035V		35	5m		

in verga/in pipe

 Raccordi a stringere per tubo rame bicono (RB)
 Compression Fittings for copper pipe (RB)
 Raccords laiton à compression bicones (RB)



IT: Raccordo diritto maschio a stringere bicono
EN: Male compression coupling
FR: Raccord male à compression bicono

IT: Raccordo diritto femmina a stringere bicono
EN: Female compression coupling
FR: Raccord femelle à compression bicono

<u>Art. 271</u>	<u>Codice</u>	<u>Misura</u>	<u>Box</u>	<u>€</u>	<u>Art. 280</u>	<u>Codice</u>	<u>Misura</u>	<u>Box</u>	<u>€</u>
	RB0271003120	3/8-12	50			RB0280003120	3/8-12	50	
	RB0271003150	3/8-15	50			RB0280003150	3/8-15	50	
	RB0271005120	1/2-12	50			RB0280005120	1/2-12	50	
	RB0271005140	1/2-14	50			RB0280005140	1/2-14	50	
	RB0271005150	1/2-15	50			RB0280005150	1/2-15	50	
	RB0271005160	1/2-16	50			RB0280005160	1/2-16	50	
	RB0271005180	1-2-18	50			RB0280005180	1-2-18	50	
	RB0271007180	3/4-18	25			RB0280007180	3/4-18	25	
	RB0271007220	3/4-22	25			RB0280007220	3/4-22	25	
	RB0271010220	1-22	10			RB0280010220	1-22	10	
	RB0271010280	1-28	10			RB0280010280	1-28	10	
	RB0271012350	1"1/4-35	10			RB0280012350	1"1/4-35	10	



IT: Manicotto a stringere bicono
EN: Compression coupling
FR: Manchon à compression bicono

IT: Curva a stringere bicono
EN: Compression Elbow
FR: Coude à compression bicono


<u>Art. 270</u>	<u>Codice</u>	<u>Misura</u>	<u>Box</u>	<u>€</u>	<u>Art. 260</u>	<u>Codice</u>	<u>Misura</u>	<u>Box</u>	<u>€</u>
	RB0270000120	12	50			RB0260000120	12	50	
	RB0270000140	14	50			RB0260000140	14	50	
	RB0270000150	15	50			RB0260000150	15	50	
	RB0270000160	16	50			RB0260000160	16	50	
	RB0270000180	18	50			RB0260000180	18	50	
	RB0270000220	22	25			RB0260000220	22	25	
	RB0270000280	28	25			RB0260000280	28	25	
	RB0270000350	35	25			RB0260000350	35	25	

IT: Curva maschio a stringere bicono
EN: Male compression elbow
FR: Coude male à compression bicono

IT: Curva femmina a stringere bicono
EN: Female compression elbow
FR: Coude femelle à compression bicono

<u>Art. 261</u>	<u>Codice</u>	<u>Misura</u>	<u>Box</u>	<u>€</u>	<u>Art. 262</u>	<u>Codice</u>	<u>Misura</u>	<u>Box</u>	<u>€</u>
	RB0261003120	3/8-12	50			RB0262003120	3/8-12	50	
	RB0261005120	1/2-12	50			RB0262005120	1/2-12	50	
	RB0261005140	1/2-14	50			RB0262005140	1/2-14	50	
	RB0261005150	1/2-15	50			RB0262005150	1/2-15	50	
	RB0261005160	1/2-16	50			RB0262005160	1/2-16	50	
	RB0261007180	3/4-18	25			RB0262007180	3/4-18	25	
	RB0261007220	3/4-22	25			RB0262007220	3/4-22	25	
	RB0261010220	1-22	25			RB0262010220	1-22	25	
	RB0261010280	1-28	25			RB0262010280	1-28	25	

IT: Tee a stringere bicono
EN: Compression Tee
FR: Tee à compression bicono

<u>Art. 250</u>	<u>Codice</u>	<u>Misura</u>	<u>Box</u>	<u>€</u>
	RB0250000120	12	50	
	RB0250000140	14	50	
	RB0250000150	15	50	
	RB0250000160	16	50	
	RB0250000180	18	50	
	RB0250000220	22	25	
	RB0250000280	28	25	
	RB0250000350	35	25	